

**4931 N Manufacturing Way, Coeur d'Alene, ID 83815**

**21st@wheelchairs.com  
www.wheelchairs.com**

**FAX, PHONE IN OR MAIL COMPLETED FORM TO 21<sup>st</sup> Century SCIENTIFIC Inc.**

**This is an order! Our PO No:** \_\_\_\_\_  **This is a Quotation Request Only**

<b>Ship To:</b>	<b>Bill To:</b>
Company: _____	Company: _____
Address: _____	Address: _____
City: _____ State: _____ Zip: _____	City: _____ State: _____ Zip: _____
Attention: _____	Attention: _____
Phone: _____ FAX: _____	Phone: _____ FAX: _____

# BOUNDER 300 POWER WHEELCHAIR

**User Data:**

Name: \_\_\_\_\_ Ht: \_\_\_' \_\_\_" Wt: \_\_\_ lb. D.O.B.: \_\_\_\_\_ Disability: \_\_\_\_\_

Hip Width.....: \_\_\_\_\_" Chest Width: \_\_\_\_\_" Back to Knee: \_\_\_\_\_" Top of Shoulder: \_\_\_\_\_"

Seat Pan to Elbow: \_\_\_\_\_" Knee to Heel: \_\_\_\_\_" Elbow to Hand: \_\_\_\_\_"

Driving Skills: good fair poor Judgment: good fair poor

Previous Chair Make & Model: \_\_\_\_\_

Other Information: \_\_\_\_\_

**New Chair Data:**

Seat Width.....: \_\_\_\_\_" Seat Depth: \_\_\_\_\_" Seat Height: \_\_\_\_\_" Backpost Height: \_\_\_\_\_"

Back Width.....: \_\_\_\_\_" Back Height: \_\_\_\_\_" Max Overall Width: \_\_\_\_\_" Max Overall Length: \_\_\_\_\_"

Desired Top Speed Of New Chair: \_\_\_\_\_ Power Seating Needed: Recline Tilt Elevate Other

Other Notes: \_\_\_\_\_

**INSTRUCTIONS FOR FILLING OUT THIS FORM:**  
Thank you for choosing 21<sup>st</sup> Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may email this form to us at 21st@wheelchairs.com for review. A detailed written quote will be emailed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

**This Form Was Completed By:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **FAX:** \_\_\_\_\_

# BOUNDER 300 POWER WHEELCHAIR

## STANDARD FEATURES

- Independent drive wheel suspension
  - For users up to 300 lb (or who are tough on equipment)
- 16" to 24" seat widths in 1" increments (12" to 15" available at extra cost)
- Durable H-style TIG welded frame using 2.5"x1.5"x0.125" wall steel
  - 6.0 MPH top speed
  - LiNX electronics
- Super Torque 4 Motors & Brakes (ST4M&B)
  - Sliding dual group 24 battery box
  - LiNX 110 remote hand control
- Smart brake release switch (for easy attendant pushing)
- Xtra Duty adjustable suspension forks
- Xtra Duty caster barrels and suspension forks (1" fork stems & bearings ID's)
  - 9"x3.50" aluminum caster wheels
  - 13"x4.00" steel/aluminum drive wheels
  - Foam filled caster tires and drive wheel tires
    - Gray or black tires
  - 0.120" wall seat rails and back posts
    - Black powder coated frame
  - Sheet metal seat pan •70 deg swingaway footrests
- Quick adjust clutches (combination tensioner and chain release mechanism)
  - Flip-up self-supporting arms w/ standard armrest pads
    - Anti-tipping wheelie wheels
    - Fully automatic 8A charger
    - Push button seat positioning strap
- Detailed Owner's Manual •Easy to service and maintain

## POPULAR OPTIONS

- Speed package – top speeds up to 7.6 mph
  - High Speed package – top speeds up to 8.5 mph
  - High Volume Low Pressure Off-Road package
  - Front Rigging (footrests or legrests, each with many options)
  - Center Mount Footboard •Arm options •Headrests
    - R-net electronics
  - Power seating systems: recline, tilt, anterior tilt & seat elevator
    - 2 or more power seating systems combined on same chair
    - Dual independent power elevating legrests (DIPLR)
  - Power elevating, articulating center mount footboard (PEACM FB)
    - Joystick control of power seating
    - Programmer for electronics •Colored (non-black) frame
    - Specialty controls (switch controls, head arrays, etc.)
  - Frame reinforcements •Custom seat depth, seat height, back height, etc.
    - Seating & positioning options
  - Hand / chin control customizations & mounting options (many to choose from)
    - Built in taillights
  - LED Lighting package (it's 24V and bright!) •Electric horn (it's LOUD)
    - Positioning straps
    - Extended 2 or 3 year warranty
- ### WARRANTY\*
- 1 year warranty on entire chair
  - 5 year warranty on Super Torque 3 & 4 Motor & Brake drive trains\*\*
  - 5 year H-Frame base warranty •2 year H-Frame seat warranty

\* Limited warranties – some restrictions apply. See complete warranty for more information  
\*\* Includes motors, brakes, drive wheels, drive wheel sprockets (chains, tires, inner tubes, flat-free inserts, motor sprockets & bearings not included)

**MAKE IT A *Plus*... ORDER THE BOUNDER *Plus* 300 AND RECEIVE ALL THE STANDARD FEATURES ABOVE *Plus* THE HIGH SPEED PACKAGE OR OFF-ROAD PACKAGE AND A 2-YEAR WARRANTY ON THE ENTIRE CHAIR AT NO ADDITIONAL CHARGE.**

### DRIVE TRAIN CONFIGURATION NOTE:

Top speeds above are estimated. Depending on configuration, your chair may be faster or slower. Chair configuration, patient weight, tire choices and battery condition can affect the chair's top speed.

# BOUNDER 300 POWER WHEELCHAIR

**21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600**

**e-mail: 21st@wheelchairs.com www.wheelchairs.com**

IF \*, SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
<b>BASE CONFIGURATION</b>			
<b>BOUNDER 300</b>			
* B300	___ B012A	BOUNDER 300 Power Wheelchair, no power seating	\$11,995.00
* B300S	___ B012B	BOUNDER 300 Power Wheelchair, single power seating option	\$9,995.00
* B300M	___ B012C	BOUNDER 300 Power Wheelchair, multiple power seating options (K0861)	\$8,995.00
<b>BOUNDER Plus 300 OPTIONS</b>			
* BP300	___ B022E	BOUNDER Plus 300 Power Wheelchair, no power seating	\$13,495.00
* BP300S	___ B022F	BOUNDER Plus 300 Power Wheelchair, single power seating option	\$11,495.00
* BP300M	___ B022G	BOUNDER Plus 300 Power Wheelchair, multiple power seating options	\$10,495.00
<b>CONSTRUCTION OPTIONS</b>			
<b>BASE WIDTH</b>			
* STD BASE WIDTH	___ B151	Standard base width (overall width: see notes)	<b>Standard</b>
<b>BASE LENGTH</b>			
* SHORT BASE	___ B202	Short H-Frame power base	<b>Standard</b>
* LONG BASE	___ B203	Long H-Frame power base	\$380.00
<b>SUSPENSION</b>			
IDWS NC	___ B209B	Independent drive wheel suspension, no charge	<b>Standard</b>
* GRAY IDWS SPRINGS	___ B209E	Gray IDWS springs (for users up to 400 lb)	No Charge
<b>* 21st POWER SEATING SYSTEMS</b>			
* PRS 80	___ B301A	80 degree power recline system (E1003)	\$5,750.00
* PRS 40	___ B301B	40 degree power recline system (E1003)	\$5,750.00
* SBPRS 70	___ B303A	70 degree sliding back power recline system (E1004)	\$6,900.00
* SBPRS 40	___ B303B	40 degree sliding back power recline system (E1004)	\$6,900.00
* PTS 50	___ B305A	50 degree power tilt system (E1002)	\$5,750.00
* PTS 30	___ B305B	30 degree power tilt system (E1002)	\$5,750.00
* APTS 20	___ B306A	20 degree anterior (reverse) power tilt system	\$5,750.00
* PSE2 13	___ B308A	Power seat elevator 2 (13" vert rise)(E2300)	\$5,980.00
* PSE2 8	___ B308B	Power seat elevator 2 (8" vert rise)(E2300)	\$5,980.00
PRS PTS	___ B321	Power recline & power tilt	\$9,999.00
* SBPRS PTS	___ B324	Sliding back power recline & power tilt (E1007)	\$9,995.00
<b>BASE COLOR</b>			
BLACK	___ B4001	Standard black powder coat	<b>Standard</b>
RED	___ B4002	Red powder coat	\$140.00
BLUE	___ B4003	Blue powder coat	\$140.00
DARK GREEN	___ B4004	Dark green powder coat	\$140.00
YELLOW	___ B4005	Yellow powder coat	\$140.00
LIGHT GRAY	___ B4006	Light gray powder coat	\$140.00
WHITE	___ B4007	White powder coat	\$140.00
TEAL	___ B4008	Teal powder coat	\$140.00

IF \*, SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
LAVENDER	___ B4009	Lavender powder coat	\$140.00
PINK	___ B4010	Pink powder coat	\$140.00
* CUS PC	___ B4021	Custom powder coat color	\$480.00
* NON-BLACK SAF	___ B4046	Paint seat, arms and front rigging same color as rest of chair	\$380.00
<b>FRAME REINFORCEMENTS</b>			
* SBP	___ B4109	Solid backposts	\$980.00
* CBPT	___ B4113	Cross strut between backpost handle tips	\$188.00
<b>REAR WHEEL OFFSET (RWO)</b>			
* STD RWO	___ B4301	Standard rear wheel offset	<b>Standard</b>
* CRWO	___ B4302	Custom rear wheel offset	\$632.00
<b>SEAT DEPTH</b>			
* STD SD	___ B4421	Std seat depth ___ 16" ___ 17" ___ 18" ___ 19" ___ 20"	<b>Standard</b>
XLONG SD	___ B4425	X-long seat depth ___ 21" ___ 22" ___ 23"	\$1,250.00
* HF SHORT SD	___ B4427	Short seat depth (short base only) ___ 12" ___ 13" ___ 14" ___ 15"	\$630.00
<b>SEAT WIDTH</b>			
B300/BP300 STD SW	___ B4521	Standard Bounder 300/Bounder Plus 300 seat width (16"-24") (specify width: _____)	<b>Standard</b>
* HF NAR SW	___ B4523	Narrow BOUNDER HF seat width ___ 12" ___ 13" ___ 14" ___ 15"	\$630.00
<b>* SEAT HEIGHT</b>			
STD SH	___ B4601M	Bounder standard seat height ___ 19" ___ 20" ___ 21"	<b>Standard</b>
* CAPT SH	___ B4606	Standard 22" or 24" captain's seat height	No Charge
* CST	___ B4618	Custom seat tilt (rake)	\$575.00
<b>BACKPOST STYLE &amp; HEIGHT</b>			
STD S945 BH	___ B4701R	Standard straight backpost height, 94.5 deg ___ 18" ___ 20" ___ 22" ___ 24"	<b>Standard</b>
CUS S945 BH	___ B4701T	Custom straight backpost height, 94.5 deg (specify height: _____)	\$890.00
* CUS BH	___ B4709	Custom 90 deg back height w/ 7 deg bend (15"-24") (specify height: _____)	\$890.00
* ASBA	___ B4712	Adjustable seat-to-back angle (20 deg of adj) ___ 90 ___ 95 ___ 100 ___ 105 ___ 110	\$585.00
OFFSET BP	___ B4715	Offset Backposts	\$580.00
<b>CAPTAIN'S BACK HEIGHT</b>			
* STD CAPT BH	___ B4731	Standard captain's back height ___ 16" ___ 18" ___ 20"	No Charge
* CUS CAPT BH	___ B4732	Custom captain's back height (specify height: _____)	\$410.00
<b>HEADRESTS</b>			
ACPHR MB&H	___ B4802D	Adjustable center post headrest mounting bracket and hardware (less pad)(E1028)	\$258.00
ACPHR PAD	___ B4802E	Curved foam pad for adjustable center post headrest (E0955)	\$225.00
* CSHR	___ B4804	Custom size or style headrest for ACPHR	Call Factory
<b>FRONT RIGGING</b>			
FR70 NC	___ B5001N	70 deg swingaway footrests	<b>Standard</b>
* FR60	___ B5002	60 deg swingaway footrests	\$320.00
FR80	___ B5003E	80 deg swingaway footrests	\$488.00

# BOUNDER 300 POWER WHEELCHAIR

**21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600**

**e-mail: 21st@wheelchairs.com www.wheelchairs.com**

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* FR90	___ B5004	90 deg swingaway footrests	\$488.00
* LRL	___ B5005	Low profile elevating legrests (E0990)	\$488.00
* LRH	___ B5007	High profile (gooseneck) elevating legrests (E0990)	\$488.00
* LRH90	___ B50079	90 degree high profile elevating legrests	\$625.00
* DIPLR	___ B5008	Dual indep pwr elev legrest mechanisms (actuators, sw box, legrests) (E1010)	\$2,760.00
* RFR	___ B5014	Reinforced footrests (footrests not included)	\$460.00
* RLR	___ B5016	Reinforced elevating legrests (LRL or LRH not included)	\$575.00
* OFFSET FR	___ B5018	Offset front rigging (specify offset)	\$410.00
* TAPER FR	___ B5019	Tapered front rigging (specify taper)	\$557.00
CP ON FR	___ B5020	Install calf pads on footrests	\$273.00
* QRL	___ B5023	Quad release levers	\$97.00
CUS SFP FLIP UP	___ B5030	Custom flip-up steel footplates (specify size)(order heel loops separately)	\$354.00
OFFP	___ B5031	Oversized footplates (less heel loops)	\$245.00
OFFP HL	___ B5031H	Oversized footplates w/ heel loops	\$265.00
* CUS CM FB	___ B5035	Custom center mount, angle adjustable footboard	\$1,150.00
CUS PEACM FB	___ B5036E	Custom power elevating, articulating center mount footboard	\$2,450.00
* FPHL	___ B5041	Heel loops	\$56.00
* FPAS	___ B5042	Ankle straps	\$93.00
* FPTL	___ B5043	Pair of toe loops	\$93.00
SLS	___ B5044	Single leg (calf) strap, black w/ velcro	\$56.00
HLS	___ B5045	H-type leg (calf) strap, black w/ velcro	\$76.00
STD CALF PADS	___ B5046	Std calf pads (Naugahyde only) (only w/ LRL, LRH, CP ON FR or CUS PEACM FB)	No Charge
* CALF FLAT	___ B5047	Flat calf pads	\$164.00
CALF TROUGH	___ B5048	Trough calf pads	\$244.00
CALF CUSTOM	___ B5049	Custom calf pads	Call Factory
RCPM	___ B5050	Recessed calf pad mounts (specify 1" or 2")	\$278.00
CCPM	___ B5051	Custom calf pad mounts	Call Factory
FPRB2	___ B5053	Roller wheel bumpers (2.5" dia wheels mounted under footplates)	\$105.00
RFPE	___ B5062	Reduced footplate extension and adjustment range	\$230.00
AAFP	___ B5072	Angle adjustable front rigging extensions	\$270.00
CFR	___ B5081	Custom front rigging	Call Factory
NFR	___ B5092	No front rigging	No Charge
<b>ARMS</b>			
DL SS ARM	___ B5101D	Desk length self supporting (cantilever) arms	<b>Standard</b>
FL SS ARM	___ B5101E	Full length self supporting (cantilever) arms	No Charge
DL ART ARM	___ B5101R	Desk length articulating arms	No Charge
FL ART ARM	___ B5101T	Full length articulating arms	No Charge
DLADA	___ B5103	Desk length adjustable detachable dual post arms (E0973)	\$285.00
FLADA	___ B5105	Full length adjustable detachable dual post arms (E0973)	\$285.00
FLIP UP ARMS	___ B5107	Add flip up to DLADA or FLADA	\$380.00
* DL SL ARM	___ B5110	Desk length sliding arms	\$570.00
* FL SL ARM	___ B5111	Full length sliding arms	\$570.00
* DL SS ADJ ARM CS	___ B5112C	Desk length self-supporting adj arms for captain's seat	\$630.00
* DL SS ART ARM	___ B5112R	Desk length self-supporting adjustable articulating arms (cbl style)	\$690.00
DL SS ART ARM CS	___ B5112S	Desk length self-supporting adj articulating arms for capt seat (cbl style)	\$690.00
* FL SS ADJ ARM CS	___ B5113C	Full length self-supporting adj arms for captain's seat	\$630.00
* FL SS ART ARM	___ B5113R	Full length self-supporting adjustable articulating	\$690.00

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
FL SS ART ARM CS	___ B5113S	Full length self-supporting adj articulating arms, for capt seat (cbl style)	\$690.00
* RAT	___ B5131	Reinforced arm tips	\$140.00
CAH	___ B5132	Custom arm height	\$230.00
* CAD	___ B5133	Custom arm depth	\$172.50
* CARMS	___ B5134	Custom arms	Call Factory
<b>ARMREST PADS</b>			
* STD ARMREST PADS	___ B5141	Std upholstered armrest pads	<b>Standard</b>
* WATERFALL ARP	___ B5142	Waterfall armrest pads	\$110.00
* TROUGH ARP	___ B5143	Trough armrest pads	\$305.00
* FLAT ARP	___ B5144	3.5" wide flat armrest pads	\$189.00
* NARROW FLAT ARP	___ B5145	2" wide narrow flat armrest pads	\$140.00
CARP	___ B5146	Custom armrest pads	Call Factory
<b>WHEELCHAIR SEATS &amp; SEAT CUSHIONS</b>			
SMP SEAT	___ B5205	Flat powder coated sheet metal pan seat	<b>Standard</b>
* SMP SEAT CUSHION	___ B5242	Upholstered foam seat cushion (up to 3"; specify thickness: _____)	\$310.00
CAPT SEAT	___ B5251	Captain's seat	\$700.00
* SPEC SEAT FOAM	___ B5262A	Special seat foam (Sunmate)(each 1/2" thickness)	\$135.00
CSSC	___ B5263	Custom seat or seat cushion	Call Factory
* CC M2-SA SEAT CUSH	___ B5270C	Comfort Company M2 anti-thrust gel seat cushion, up to 21" wide (E2607)	\$415.00
* CC M2-SA SEAT CUSH	___ B5270D	Comfort Company M2 anti-thrust gel seat cushion, 22" or 24" wide (E2608)	\$495.00
* CC AJX-S SEAT CUSH	___ B5270G	Comfort Company Adjuster O2 seat cushion w/ Vicare Tech, up to 21" wide (E2622)	\$755.00
* CC AJX-S SEAT CUSH	___ B5270H	Comfort Company Adjuster O2 seat cushion w/ Vicare Tech, 22" and wider (E2623)	\$874.00
NO SEAT CUSHION	___ B5271	No seat cushion supplied	No Charge
<b>WHEELCHAIR BACKS &amp; BACK CUSHIONS</b>			
STD NB	___ B5302	No back supplied or attached to backposts	<b>Standard</b>
SMPB CURVED ADJ	___ B5333	Curved sheet metal pan back w/ adj brackets	\$485.00
* SMP BACK CUSHION	___ B5342	Upholstered foam back cushion (up to 2"; specify thickness: _____)	\$325.00
CAPT BACK	___ B5351	Captain's back	\$700.00
* SPEC BACK FOAM	___ B5362A	Special back foam (Sunmate)(each 1/2" thickness)	\$140.00
CBBC	___ B5363	Custom back or back cushion	Call Factory
SB MOD FLAP	___ B5369	Modesty flap, velcros between seat and back upholstery	\$150.00
* CC AB-BSXXXWXL	___ B5370C	Comfort Company Acta-Back, posterior, 16"-21" wide (E2613) (specify width: _____)(specify height: _____)	\$755.00
* CC AB-BSXXXWXL 22+	___ B5370D	Comfort Company Acta-Back, posterior, w/ 22"-24" wide (E2614) (specify width: _____)(specify height: _____)	\$1,032.00
* CC AR-BSXXXWXL	___ B5370G	Comfort Company Acta Relief Back, positioning, posterior, 16"-20" wide (E2615) (specify width: _____)(specify height: _____)	\$1,155.00
CC COMPASS FM	___ B5370J	Comfort Company Compass flat mounting bracket (required for sbprs recline)	\$55.00
<b>POSITIONING HARDWARE</b>			
LATERAL TRUNK	___ B5392	Lateral trunk support with swing away hardware (specify L or R & pad size)	Call Factory
GEL KNEE BUTTON	___ B5392A	pair, 4" gel knee protector button pad (mounts to legrest pivots)	Call Factory

# BOUNDER 300 POWER WHEELCHAIR

**21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600**

**e-mail: 21st@wheelchairs.com www.wheelchairs.com**

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* AEL LATERAL THIGH/HIP	B5392D	AEL Lateral thigh/hip support, quick release hdwr (specify L or R & pad size)	\$330.00
* AEL POS KNEE ADD	B5392E	AEL Posalinc 180 knee adductor (specify 4"x6" or 5"x7" pads) (specify L or R)	\$699.00
<b>* UPHOLSTERY COLOR</b>			
STD BLACK NAUG	B5401	Standard black Naugahyde upholstery	<b>Standard</b>
BLACK FAB	B5431	Black fabric upholstery	No Charge
<b>CONTROL BOXES &amp; REMOTE DISPLAY</b>			
STD RHC	B6001	Right hand control	<b>Standard</b>
LHC	B6002	Left hand control	No Charge
<b>HAND &amp; CHIN CONTROL MOUNTS &amp; EXTENSIONS</b>			
STD HC MOUNT	B6111	Standard hand control mount	<b>Standard</b>
STD HC EXT	B6112	Standard hand control extension slide	<b>Standard</b>
* SA EXT	B6115	Swingaway hand control extension slide (E1028)	\$345.00
* MIDLINE HC M&E	B6116	Midline hand control mount & extension slide	\$487.00
* CC MOUNT	B6121	Chin control mount	\$556.00
* POWER CC MOUNT	B6122	Power chin control mount	\$1,720.00
* CC BIB MOUNT	B6131	Chin control bib mount (specify hard or soft collar)	\$690.00
AC MNT	B6143	Attendant control mount	\$205.00
CUS CTRL MOUNT	B6171	Custom control mount	Call Factory
* CUS EXT SLIDE	B6172	Custom extension slide	Call Factory
<b>LiNX Programmable Electronics</b>			
DLX PM120	B6461	LiNX 100 120A non-expandable power module	<b>Standard</b>
DLX PM120AL	B6462	LiNX 200 120A expandable power module with actuator and light control (E2377)	\$560.00
DLX EXP HARN	B6463	Wiring harness for LiNX expandable power module	\$440.00
DLX BRS	B6464	Brake release switch for LiNX electronics	<b>Standard</b>
DLX REM110	B6466	LiNX drive only joystick remote	<b>Standard</b>
DLX REM216	B6467	LiNX LED joystick remote with actuator control	\$560.00
DLX REM400	B6468	LiNX joystick remote with 3.5" color touch screen display	\$1,090.00
DLX SW400TGL	B6468T	LiNX paddle style toggle switch module for REM400	\$560.00
DLX CR400	B6469	LiNX compact remote module	\$1,250.00
DLX ACU200	B6470	LiNX attendant control module	\$890.00
* DLX REM500	B6472	LiNX color touch screen display remote	\$1,250.00
* DLX IN500	B6473	LiNX input module (drive control & switch input)	\$945.00
DLX IN200	B6473S	LiNX input module (switch input only)	\$720.00
DLX OUT500	B6474	LiNX output module	\$775.00
DLX ACT400S	B6475	LiNX actuator module for control of one actuator	\$1,380.00
DLX ACT400M	B6476	LiNX actuator module for control of multiple actuators	\$2,760.00
DLX SW10T	B6479	LiNX 10-way switch module (5 actuator functions)	\$535.00
DLX GYR100	B6480	LiNX Gyro Module	\$995.00
DLX LAK	B6481	LiNX Access Key	\$340.00
<b>R-net Programmable Electronics</b>			
R-NET PM120 PM	B6501	Non-expandable R-net 120A power module	No Charge
R-NET PM120 EXP	B6502	Expandable R-net 120A power module (E2377)	\$560.00
R-NET EXP HARN	B6503	Wiring harness for R-net expandable power module (E2313)	\$440.00
R-NET BRS	B6504	Brake release switch for R-net electronics	No Charge
R-NET JSM-LED-L	B6506	R-net LED Joystick Module	No Charge
R-NET CJSM-L	B6507	R-net LCD Joystick Module w/ color display	\$995.00
R-NET CJSM2-BT	B6508	R-net LCD Joystick Module w/ 3.5" color display, paddle sw, bluetooth & IR	\$1,120.00

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
R-NET ATTENDANT	B6516	R-net attendant module	\$720.00
* R-NET OMNI2	B6520	R-net Omni2 specialty controls interface	\$1,240.00
R-NET ISM-L 1ACT	B6521	R-net intelligent seating module, control of one actuator	\$1,380.00
R-NET ISM-L MULTI	B6522	R-net intellegent seating module, control of multiple actuators	\$2,760.00
R-NET ASM	B6524	R-net advanced stability module	\$385.00
R-NET PROGRAMMER	B6525	R-net wireless programming dongle, dealer	\$480.00
<b>Switches</b>			
AUX TS	B6571	Auxiliary toggle switch (specify function)	\$240.00
<b>DRIVE MODULE MOUNTS</b>			
BH OBBM	B6701A	Drive module mounted over battery box	<b>Standard</b>
* USM HF	B6702	Drive module mounted under wheelchair seat	No Charge
CUS DM MNT	B6711	Custom drive module mount	Call Factory
<b>RESPIRATOR &amp; OXYGEN BOTTLE MOUNTS</b>			
* RESP SHELF	B6801	Fixed position respirator shelf	\$556.00
* RESP GIMBAL SHELF	B6803	Gimbal-mounted respirator shelf	\$1,660.00
* RESP BBOX U1	B6811	Single U1 battery box mounted on shelf (specify location; for respirators)	\$556.00
RESP BAU1 GEL-CELL	B6812	Respirator U1 gel-cell battery	\$264.00
RESP BC12-6	B6813	Respirator 12.6V auto charger	\$348.00
SE O2 BOT HLD	B6901	Single E size oxygen bottle holder	\$632.50
DE O2 BOT HLD	B6902	Dual E size oxygen bottle holder	\$949.00
TE O2 BOT HLD	B6902T	Triple E size oxygen bottle holder	\$1,202.00
<b>MOTORS &amp; BRAKES</b>			
STD ST4M&B-M	B7007M	Standard super torque 4 motors and brakes, medium speed	<b>Standard</b>
ST3M&B	B7003	Super torque 3 motors & brakes (requires high speed package)	No Charge
<b>DRIVE WHEEL OPTIONS</b>			
<b>13"x4.00" DRIVE WHEELS</b>			
* DW 13X4BFF KNOBBY	B7055B	13"x4.00" black knobby foam filled drive tires on metal wheels	<b>Standard</b>
DW 13X4GFF KNOBBY	B7055G	13"x4.00" gray knobby foam filled drive tires on metal wheels	No Charge
DW 13X4GFF SMOOTH	B7055H	13"x4.00" gray smooth foam filled drive tires on metal wheels	No Charge
<b>HVLP Off-Road Package</b>			
DW 14X5.4B T&T	B7057A	14"x5.40" black pneumatic HVLP OR tires w/ puncture sealant on metal dw	\$695.00
DW 13X5B T&T	B7057B	13"x5" black pneumatic HVLP OR tires w/ puncture sealant on metal drive wheels	\$695.00
<b>* TOP SPEED SETTINGS</b>			
<b>13"x4.00" 13"x 5.00" Drive Wheels</b>			
* 8.5 MPH	B7263	8.5 mph, 313 C70 C21, high speed package	\$995.00
7.6 MPH	B7264	7.6 mph, 313 C70 C19, speed package	\$995.00
* 6.0 MPH	B7266	6.0 mph, 4M13 C60 C23	<b>Standard</b>
* 4.8 MPH	B7267	4.8 mph, 4M13 C70 C21	No Charge
<b>14"x5.4" Drive Tires</b>			
6.5 MPH HVLP OR	B7284	6.5 mph, 4M14 C60 C23	No Charge
5.2 MPH HVLP OR	B7285	5.2 mph, 4M14 C70 C21	No Charge

# BOUNDER 300 POWER WHEELCHAIR

**21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600**

**e-mail: 21st@wheelchairs.com www.wheelchairs.com**

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
<b>CASTER WHEEL &amp; FORK OPTIONS</b>			
XDCBF 9X3.50M	___ B7441X	9"x3.50" Xtra duty caster barrels, suspension forks & metal casters	<b>Standard</b>
<b>Caster Tire &amp; Tube Options</b>			
CT BLACK FF	___ B7485B	Black foam filled caster tires	<b>Standard</b>
CT GRAY FF	___ B7485G	Gray foam filled caster tires	No Charge
FS COPPER	___ B7497C	Copper color fork springs	<b>Standard</b>
FS RED	___ B7497R	Red color fork springs, softer, for patients up to 200 lbs	No Charge
<b>VEHICLE TIEDOWNS</b>			
* 4P TD	___ B7604	4-Point wheelchair transport tiedown	\$506.00
<b>BATTERY BOXES</b>			
BBOXD24	___ B7713B	Dual group 24 sliding battery box	<b>Standard</b>
<b>BATTERIES</b>			
BA24 GEL-CELL	___ B7804	Pair, group 24 gel-cell batteries (E2363)	\$990.00
<b>BATTERY CHARGERS</b>			
STD BC24-8	___ B7902	24V 8A automatic gel-cell battery charger	<b>Standard</b>
NBC	___ B7921	Credit for no battery charger	-\$86.25
<b>ACCESSORIES</b>			
* HF LP	___ B8006	LED safety illumination package for all H-Frames	\$380.00
* HL2	___ B8007	2nd LED headlamp	\$105.00
* AMBER FLASHER	___ B8010	LED Amber Safety Flashers (1 flasher mounted in rear/1 mounted in front)	\$395.00
* HORN	___ B8021	24V Safety audio alert	\$305.00
* LB2	___ B8032	Electric leg bag emptier 2	\$632.50
* 24 TO 12/5PC	___ B8046	24V to 12V/5V power converter (5A maximum load)	\$575.00
DW FENDERS	___ B8052	Drive wheel fenders	\$575.00
* GUN MOUNT	___ B8063	Height & angle adjustable gun mount with rifle rest	\$1,250.00
RAM DRINK HLDR	___ B8073	RAM Drink holder	\$72.00
* TOOL KIT	___ B8083	Tool kit	\$240.00
MOUNT 7 TAB	___ B8085A	RAM 7" tablet mount	\$96.00
MOUNT 10 TAB	___ B8085B	RAM 10" tablet mount	\$160.00
MOUNT 12 TAB	___ B8085C	RAM 12" tablet mount	\$185.00
MOUNT CELL	___ B8086	RAM cell phone mount	\$99.00
* MIRROR	___ B8091	Rear view mirror	\$99.00
FLAG HOLDER	___ B8093	Flag holder	\$88.00
DM COV NAUG	___ B8111	Naugahyde drive module cover	\$82.50
DHC COV	___ B8112	Driver hand control weather cover	\$99.00
SADDLE BAG	___ B8113	Saddle bag (specify left or right)	\$94.00
WC COV	___ B8114	Wheelchair weather cover	\$200.00
WW HVLP OR NC	___ B8126	Wheelie wheels for use with HVLP Off-Road package, no charge	No Charge
* WC JACK	___ B8127	Wheelchair jack	\$400.00
* SW MOUNT BAR	___ B8132	Switch mount bar for accessory switches	\$82.00
<b>* SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)</b>			
HF PS PUSH BUTTON S	___ B8200	Push button seat mount positioning strap (specify 45" or 60")	<b>Standard</b>
PS FLIP LATCH S	___ B8201	Flip latch seat mount positioning strap (specify 45" or 60")	\$64.00
PS PINCH BUCKLE S	___ B8203	Pinch buckle seat mount positioning strap (specify 45" or 60")	\$64.00
* PS CUS S	___ B8211	Custom seat mount positioning strap (specify	\$115.00

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
buckle type and length)			
<b>CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)</b>			
PS FLIP LATCH C	___ B8251	Flip latch chest mount positioning strap (specify 45" or 60")	\$126.00
PS PUSH BUTTON C	___ B8252	Push button chest mount positioning strap (specify 45" or 60")	\$126.00
PS PINCH BUCKLE C	___ B8253	Pinch buckle chest mount positioning strap (specify 45" or 60")	\$126.00
PS CUS C	___ B8261	Custom chest mount positioning strap (specify buckle type and length)	\$172.50

## WARRANTIES AND SPECIAL SERVICE OPTIONS

<b>STANDARD WARRANTIES</b>			
* B PWC WAR	___ B9021B	BOUNDER power wheelchair standard warranty	<b>Standard</b>
* BP PWC WAR	___ B9022	BOUNDER Plus 300 power wheelchair standard warranty	No Charge
<b>EXTENDED WARRANTIES</b>			
* EL2 EWAR	___ B9101	Extend electronics warranty to 2 years	\$414.00
EL3 EWAR	___ B9102	Extend electronics warranty to 3 years	\$695.00
B PC2 EWAR	___ B9201	Extend BOUNDER entire power chair warranty to 2 years	\$1,385.00
B PC3 EWAR	___ B9202	Extend BOUNDER entire power chair warranty to 3 years	\$2,440.00
<b>SPECIAL SERVICE OPTIONS</b>			
* EBO	___ B9301	Emergency Build Order	Call Factory
* EEC	___ B9302	Engineering and evaluation charge	Call Factory

# BOUNDER 300 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note

## BASE CONFIGURATION

### BOUNDER 300

B012A B300. BOUNDER 300 POWER WHEELCHAIR, NO POWER SEATING. USE ONLY IF POWER SEATING SYSTEMS ARE NOT ORDERED. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER EITHER B300S (B012B) OR B300M (B012C).

B012B B300S. BOUNDER 300 POWER WHEELCHAIR, SINGLE POWER SEATING OPTION. A \$2000 DISCOUNT IS GIVEN IF ONE SEATING SYSTEM IS ALSO ORDERED. ORDER B300M (B012C) IF MULTIPLE SEATING SYSTEMS ARE REQUIRED. ORDER POWER SEATING SYSTEMS SEPARATELY.

B012C B300M. BOUNDER 300 POWER WHEELCHAIR, MULTIPLE POWER SEATING OPTIONS (K0861). A \$3000 DISCOUNT IS GIVEN IF TWO OR MORE SEATING SYSTEM ARE ALSO ORDERED. ORDER POWER SEATING SYSTEMS SEPARATELY.

### BOUNDER Plus 300 OPTIONS

B022E BP300. BOUNDER PLUS 300 POWER WHEELCHAIR, NO POWER SEATING. USE ONLY IF POWER SEATING SYSTEMS ARE NOT ORDERED. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER EITHER BP300S (B022F) OR BP300M (B022G).

B022F BP300S. BOUNDER PLUS 300 POWER WHEELCHAIR, SINGLE POWER SEATING OPTION. A \$2000 DISCOUNT IS GIVEN IF ONE SEATING SYSTEM IS ALSO ORDERED. ORDER BP300M (B022G) IF MULTIPLE SEATING SYSTEMS ARE REQUIRED. ORDER POWER SEATING SYSTEMS SEPARATELY.

B022G BP300M. BOUNDER PLUS 300 POWER WHEELCHAIR, MULTIPLE POWER SEATING OPTIONS. A \$3000 DISCOUNT IS GIVEN TWO OR MORE SEATING SYSTEM ARE ALSO ORDERED. ORDER POWER SEATING SYSTEMS SEPARATELY.

## CONSTRUCTION OPTIONS

### BASE WIDTH

B151 STD BASE WIDTH. STANDARD BASE WIDTH (OVERALL WIDTH: SEE NOTES). FOR USE ON CHAIRS WITH SEAT WIDTHS UP TO 25". 25.5" OVERALL WIDTH FOR MOST CHAIRS, 28.5" OVERALL WIDTH FOR CHAIRS ORDERED WITH HVLP OR.

### BASE LENGTH

B202 SHORT BASE. SHORT H-FRAME POWER BASE. STANDARD FOR MOST CHAIRS FOR SEAT DEPTHS UP TO 20". CHAIRS WITH SEAT DEPTHS OF 20" OR GREATER AND USERS WHO WEIGH OVER 600 LB USUALLY REQUIRE A LONG BASE INSTEAD.

B203 LONG BASE. LONG H-FRAME POWER BASE. STANDARD FOR ALL SEAT DEPTHS 21" OR GREATER. SEAT DEPTHS FROM 21" TO 25" CAN NORMALLY BE INSTALLED. THE LONG BASE FRAME IS 3" LONGER THAN THE SHORT BASE.

### SUSPENSION

B209E GRAY IDWS SPRINGS. GRAY IDWS SPRINGS (FOR USERS UP TO 400 LB). FOR USER'S UP TO 400 LB.

### 21st POWER SEATING SYSTEMS

B301A PRS 80. 80 DEGREE POWER RECLINE SYSTEM (E1003). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON-SLIDING BACK; FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING.

B301B PRS 40. 40 DEGREE POWER RECLINE SYSTEM (E1003). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING-BACK; FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST.

B303A SBPRS 70. 70 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO HELP REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING.

B303B SBPRS 40. 40 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST.

B305A PTS 50. 50 DEGREE POWER TILT SYSTEM (E1002). NOT AVAILABLE ON CHAIRS WITH ELEVATE.

B305B PTS 30. 30 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. IF ELEVATE IS ADDED TO THE CHAIR, A 30 DEGREE POWER TILT IS REQUIRED.

B306A APTS 20. 20 DEGREE ANTERIOR (REVERSE) POWER TILT SYSTEM. REAR OF SEAT TILTS UPWARD 20 DEGREES SO USER CAN MORE EASILY TRANSFER INTO AND OUT OF CHAIR. FRONT RIGGING ATTACHES TO FRONT POSTS WELDED TO BASE.

B308A PSE2 13. POWER SEAT ELEVATOR 2 (13" VERT RISE)(E2300). SEAT AND BACK RAISE TOGETHER A TOTAL OF 13 INCHES. 300 LB MAXIMUM USER WEIGHT. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.

Stk# Note

B308B PSE2 8. POWER SEAT ELEVATOR 2 (8" VERT RISE)(E2300). SEAT AND BACK RAISE TOGETHER A TOTAL OF 8 INCHES. FOR USERS WEIGHING 300 - 450 LB. THE MINIMUM SEAT HEIGHT IS 21".

B324 SBPRS PTS. SLIDING BACK POWER RECLINE & POWER TILT (E1007). COMBINES SBPRS (B303A OR B303B) AND PTS (B305A OR B305B)

### BASE COLOR

B4021 CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!

B4046 NON-BLACK SAF. PAINT SEAT, ARMS AND FRONT RIGGING SAME COLOR AS REST OF CHAIR. DOES NOT INCLUDE MOST BOLTED ON PARTS SUCH AS THE SEAT PAN, HAND CONTROL MOUNT, FORKS, FOOTREST EXTENSIONS, ETC. ONLY LOWER ARM ASSEMBLIES ARE PAINTED THE SAME COLOR AS THE BASE. UPPER ARM ASSEMBLIES ARE BLACK. FOOTREST BRACKETS ARE PAINTED SAME COLOR AS BASE IF FOOTRESTS ARE ORDERED. LEGREST BRACKETS AND HANGERS ARE PAINTED SAME COLOR AS BASE IF LEGRESTS ARE ORDERED. FOOTREST AND LEGREST EXTENSIONS ARE BLACK.

### FRAME REINFORCEMENTS

B4109 SBP. SOLID BACKPOSTS. INCLUDED AT NO CHARGE ON BOUNDER 600 AND BOUNDER 1000.

B4113 CBPT. CROSS STRUT BETWEEN BACKPOST HANDLE TIPS. INCLUDED AT NO CHARGE ON BOUNDER 600 AND BOUNDER 1000.

### REAR WHEEL OFFSET (RWO)

B4301 STD RWO. STANDARD REAR WHEEL OFFSET. HORIZONTAL DISTANCE FROM CENTER OF BACKPOST TO CENTER OF REAR WHEELS. BOUNDER 300, BOUNDER PLUS 300: 2.1" RWO, BOUNDER 450: 1.1" RWO, BIG BOUNDER 600: 1.1" RWO, BIG BOUNDER 1000:1.1".

B4302 CRWO. CUSTOM REAR WHEEL OFFSET. SPECIFY THE OFFSET IN INCHES YOU REQUIRE. A CUSTOM REAR WHEEL OFFSET MAY BE NEEDED TO DISTRIBUTE USER WEIGHT CORRECTLY ON THE CHAIR.

### SEAT DEPTH

B4421 STD SD. STD SEAT DEPTH. 16" DEEP IS STANDARD FOR MOST CHAIRS (WITHOUT SEATING SYSTEMS) WITH THE BACK UPHOLSTERY MOUNTED ON THE BACK OF THE BACKPOSTS. IF A POWER TILT AND/OR RECLINE IS ORDERED, THE BACK UPHOLSTERY IS MOUNTED ON THE FRONT OF THE BACKPOSTS. TO COMPENSATE, THE STANDARD TILT AND/OR RECLINE SEAT DEPTH IS LENGTHENED TO 17". THE EFFECTIVE DEPTH REMAINS THE SAME FROM THE FRONT EDGE OF THE SEAT PAN OR SEAT UPHOLSTERY TO THE FRONT OF THE BACK UPHOLSTERY. 16" 17" & 18" SEAT DEPTHS AVAILABLE WITH SHORT BASE. 18" SEAT DEPTH AVAILABLE WITH LONG BASE.

B4427 HF SHORT SD. SHORT SEAT DEPTH (SHORT BASE ONLY). SOME RESTRICTIONS APPLY. CONTACT FACTORY FOR DETAILS.

### SEAT WIDTH

B4523 HF NAR SW. NARROW BOUNDER HF SEAT WIDTH. REQUIRES NARROWER CUSTOM STEEL FOOTPLATES. ORDER CUS SFP FLIP UP (B5030).

### SEAT HEIGHT

NOTE THAT THE SEAT HEIGHT AT FRONT CAN BE LOWERED 1" BY CHANGING THE POSITION OF THE FRONT WHEELS IN THE SUSPENSION FORKS. THIS ALSO CHANGES THE TILT OF THE SEAT.

B4606 CAPT SH. STANDARD 22" OR 24" CAPTAIN'S SEAT HEIGHT. FOR CHAIRS WITH CAPTAIN'S SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 22" TO 24". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH A CAPTAIN'S SEAT THE SEAT-TO-FLOOR HEIGHT BECOMES 24". CONTACT FACTORY FOR ADDITIONAL INFORMATION.

B4618 CST. CUSTOM SEAT TILT (RAKE). SPECIFY SEAT RAIL HEIGHT ABOVE GROUND AT FRONT AND REAR.

### BACKPOST STYLE & HEIGHT

B4709 CUS BH. CUSTOM 90 DEG BACK HEIGHT W/ 7 DEG BEND (15"-24") (SPECIFY HEIGHT.). CUSTOM HEIGHT BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS.

B4712 ASBA. ADJUSTABLE SEAT-TO-BACK ANGLE (20 DEG OF ADJ). ALLOWS SEAT TO BACK ANGLE TO BE SET AT 90, 95, 100, 105 OR 110 DEGREES. 600 LB MAXIMUM USER WEIGHT. SPECIFY BACKPOST HEIGHT AND ANGLE.

### CAPTAIN'S BACK HEIGHT

B4731 STD CAPT BH. STANDARD CAPTAIN'S BACK HEIGHT. MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK.

B4732 CUS CAPT BH. CUSTOM CAPTAIN'S BACK HEIGHT (SPECIFY HEIGHT.). SPECIFY BACK HEIGHT FROM 12" TO 28" MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK, IN 1" INCREMENTS.

### HEADRESTS

B4804 CSHR. CUSTOM SIZE OR STYLE HEADREST FOR ACPHR. ANY SIZE BUT STANDARD 5" HIGH X 10.5" WIDE WITH ADJUSTABLE CURVE FOR ACPHR.

### FRONT RIGGING

B5002 FR60. 60 DEG SWINGAWAY FOOTRESTS. FOR H-FRAMES: REQUIRED ON MOST SHORT BASE CHAIRS WITH 15" AND 16" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. REQUIRED ON MOST LONG BASE CHAIRS WITH 18" OR 19" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS.

# BOUNDER 300 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note	Stk#	Note
B5004	FR90. 90 DEG SWINGAWAY FOOTRESTS. MOST OFTEN USED ON CHAIRS FOR CHILDREN OR USERS WITH VERY SHORT LEGS. BOTTOM OF FOOTPLATE IS USUALLY ADJUSTED TO BE ABOVE THE CASTER WHEEL TIRE. BUT CFR (CUSTOM FRONT RIGGING) CAN BE ORDERED IF CUSTOM FEATURES ARE NEEDED. FR90 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED. MAXIMUM DISTANCE FROM TOP FRONT OF SEAT RAIL TO TOP OF FOOTPLATE IS TYPICALLY 13" ON A 21" SEAT HEIGHT CHAIR.	B5131	RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH BIG BOUNDER 1000.
B5005	LRL. LOW PROFILE ELEVATING LEGRESTS (E0990). LOW PIVOT AT SEAT LEVEL BELOW THE KNEE DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS. LRL WILL NOT ELEVATE COMPLETELY WITH DIPLR.	B5133	CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH.
B5007	LRH. HIGH PROFILE (GOOSENECK) ELEVATING LEGRESTS (E0990). HIGH PIVOT (GOOSENECK) AT KNEE LEVEL DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS.	B5134	CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE!
B50079	LRH90. 90 DEGREE HIGH PROFILE ELEVATING LEGRESTS. UTILIZES A LRH BRACKET AND A LRL HANGER. THIS ALLOWS THE USER TO GET HIS/HER FEET CLOSER TO THE CASTERS REDUCING THE OVERALL CHAIR LENGTH. NOTE: THE LEGRESTS MUST BE RAISED IN ORDER FOR THE CASTERS TO CLEAR THE LEGRESTS. THESE LEGRESTS FUNCTION BEST WHEN USED WITH DIPLR OR DIPLR HD.	<b>ARMREST PADS</b>	
B5008	DIPLR. DUAL INDEP PWR ELEV LEGREST MECHANISMS (ACTUATORS, SW BOX, LEGRESTS) (E1010). INCLUDES TWO ACTUATORS, ONE ON EACH SIDE, THAT MOVE THE LEGRESTS SEPARATELY FOR INDEPENDENT OPERATION, OR TOGETHER FOR COMBINED OPERATION. INCLUDES 2-SWITCH CONTROL BOX. INCLUDES LRL OR LRH LEGRESTS. DIPLR IS OFTEN ORDERED AS PART OF A POWER RECLINE AND/OR TILT SYSTEM, BUT IT CAN BE ORDERED BY ITSELF. IF ORDERED WITH A POWER TILT, POWER RECLINE AND/OR POWER SEAT ELEVATOR SYSTEM, A 3 OR 4-SWITCH CONTROL BOX WILL BE SUPPLIED UNLESS THROUGH-THE-JOYSTICK CONTROL IS ORDERED (AT EXTRA COST).	B5141	STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC.
B5014	RFR. REINFORCED FOOTRESTS (FOOTRESTS NOT INCLUDED). EXTRA TUBING AND GUSSET ADDED TO FOOTREST BRACKET. ALSO INCLUDES SOLID BAR STOCK IN LOWER FOOTREST EXTENSION.	B5142	WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS.
B5016	RLR. REINFORCED ELEVATING LEGRESTS (LRL OR LRH NOT INCLUDED). SIMILAR TO RFR. PIVOT OF LEGREST BRACKET AND EXTENSION TUBE ARE ALSO REINFORCED. FOR LRL OR LRH ELEVATING LEGRESTS. PRICE DOES NOT INCLUDE LEGRESTS; ORDER LEGRESTS SEPARATELY.	B5143	TROUGH ARP. TROUGH ARMREST PADS. AVAILABLE IN NAUGAHYDE OR FABRIC.
B5018	OFFSET FR. OFFSET FRONT RIGGING (SPECIFY OFFSET). SPECIFY PORTION OF FOOTREST/LEGREST TO BE OFFSET. THE FOOTREST/LEGREST BRACKET OR EXTENSION MAY BE OFFSET EITHER INWARD OR OUTWARD. SPECIFY THE OFFSET TO THE NEAREST 1/2 INCH. PRICE DOES NOT INCLUDE FRONT RIGGING.	B5144	FLAT ARP. 3.5" WIDE FLAT ARMREST PADS. WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
B5019	TAPER FR. TAPERED FRONT RIGGING (SPECIFY TAPER). SPECIFY TAPER TO NEAREST 1/2". ALSO SPECIFY TYPE OF TAPER: DOUBLE BEND OR STRAIGHT ANGLE. UP CHARGE; PRICE DOES NOT INCLUDE FRONT RIGGING. SPECIFY KNEE TO HEEL MEASUREMENT.	B5145	NARROW FLAT ARP. 2" WIDE NARROW FLAT ARMREST PADS. 2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
B5023	QRL. QUAD RELEASE LEVERS. FRONT RIGGING RELEASE LEVERS EXTENDED TO OUTSIDE OF CHAIR.	<b>WHEELCHAIR SEATS &amp; SEAT CUSHIONS</b>	
B5035	CUS CM FB. CUSTOM CENTER MOUNT, ANGLE ADJUSTABLE FOOTBOARD. MOUNTS IN CENTER OF CHAIR. FLIPS UP TOWARD THE CENTER OF THE CHAIR. SPECIFY WIDTH OF FOOTBOARD. CAUTION: THE USER MUST ALWAYS WEAR SHOES OR FOOT PROTECTION. CONTACT FACTORY FOR ADDITIONAL INFORMATION.	B5242	SMP SEAT CUSHION. UPHOLSTERED FOAM SEAT CUSHION (UP TO 3";. SPECIFY FOAM THICKNESS: 1" TO 3" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMP SEAT FLAT. VELCRO IS ATTACHED TO SMP SEAT FLAT AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
B5041	FPHL. HEEL LOOPS. HEEL LOOPS ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE UNLESS YOU ADVISE US OTHERWISE.	B5262A	SPEC SEAT FOAM. SPECIAL SEAT FOAM (SUNMATE)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. IF STANDARD FOAM IS ORDERED IN COMBINATION WITH SPECIALTY FOAM, THE STANDARD FOAM IS ONLY AVAILABLE IN EVEN INCH INCREMENTS.
B5042	FPAS. ANKLE STRAPS. DUE TO THE WIDE RANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE STRAPS ON THE FOOTPLATES.	B5270C	CC M2-SA SEAT CUSH 16-21. COMFORT COMPANY M2 ANTI-THRUST GEL SEAT CUSHION, UP TO 21" WIDE (E2607). SPECIFY WIDTH AND DEPTH.
B5043	FPTL. PAIR OF TOE LOOPS. DUE TO THE WIDE RANGE OF FOOT SIZES, TOE LOOPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE TOE LOOPS ON THE FOOTPLATES.	B5270D	CC M2-SA SEAT CUSH 22+. COMFORT COMPANY M2 ANTI-THRUST GEL SEAT CUSHION, 22" OR 24" WIDE (E2608). SPECIFY WIDTH AND DEPTH.
B5047	CALF FLAT. FLAT CALF PADS. SPECIFY WIDTH AND HEIGHT TO NEAREST INCH.	B5270G	CC AJX-S SEAT CUSH 16-21. COMFORT COMPANY ADJUSTER O2 SEAT CUSHION W/ VICARE TECH, UP TO 21" WIDE (E2622). SPECIFY WIDTH AND DEPTH.
<b>ARMS</b>		B5270H	CC AJX-S SEAT CUSH 22+. COMFORT COMPANY ADJUSTER O2 SEAT CUSHION W/ VICARE TECH, 22" AND WIDER (E2623). SPECIFY WIDTH AND DEPTH.
B5110	DL SL ARM. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM GLIDES BACK AND DOWN UPON A FIXED LOWER ARM AS THE SEAT RECLINES. STATIONARY LOWER ARMS ARE DETACHABLE, CAN BE ADJUSTED IN HEIGHT AND HAVE SIDE PANELS (MODESTY PANELS). HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 11" MINIMUM TO 16" MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON RECLINERS ONLY.	<b>WHEELCHAIR BACKS &amp; BACK CUSHIONS</b>	
B5111	FL SL ARM. FULL LENGTH SLIDING ARMS. SIMILAR TO DESK LENGTH SLIDING ARMS ABOVE EXCEPT FULL LENGTH.	B5342	SMP BACK CUSHION. UPHOLSTERED FOAM BACK CUSHION (UP TO 2";. SPECIFY FOAM THICKNESS: 1" - 2" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMPB FLAT OR SMB CURVED. VELCRO IS ATTACHED TO THE SEAT PAN AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
B5112C	DL SS ADJ ARM CS. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" .	B5362A	SPEC BACK FOAM. SPECIAL BACK FOAM (SUNMATE)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. IF STANDARD FOAM IS ORDERED IN COMBINATION WITH SPECIALTY FOAM, THE STANDARD FOAM IS ONLY AVAILABLE IN EVEN INCH INCREMENTS.
B5112R	DL SS ART ARM. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD.	B5370C	CC AB-B5XXXWL. COMFORT COMPANY ACTA-BACK, POSTERIOR, 16"-21" WIDE (E2613) (SPECIFY WIDTH;. SPECIFY WIDTH AND HEIGHT.
B5113C	FL SS ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" .	B5370D	CC AB-B5XXXWL 22+. COMFORT COMPANY ACTA-BACK, POSTERIOR, W/ 22"-24" WIDE (E2614) (SPECIFY WIDTH;. SPECIFY WIDTH AND HEIGHT
B5113R	FL SS ART ARM. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD.	B5370G	CC AR-B5XXXWL. COMFORT COMPANY ACTA RELIEF BACK, POSITIONING, POSTERIOR, 16"-20" WIDE (E2615) (SPECIFY WIDTH;. SPECIFY WIDTH AND HEIGHT. IF HEADREST IS ORDERED WITH CHAIR, ALSO SELECT B5370N HD-KXXW.
		<b>POSITIONING HARDWARE</b>	
		B5392D	AEL LATERAL THIGH/HIP SUP. AEL LATERAL THIGH/HIP SUPPORT, QUICK RELEASE HDWR (SPECIFY L OR R & PAD SIZE). 4" HIGH X 5", 6", 8", 10", 12", 14", 18" DEEP. SPECIFY HIP OR THIGH MOUNT LOCATION.
		B5392E	AEL POS KNEE ADD. AEL POSALINC 180 KNEE ADDUCTOR (SPECIFY 4"X6" OR 5"X7" PADS) (SPECIFY L OR R). AVAILABLE PAD SIZES: 3" HIGH X 4" DEEP, 4" HIGH X 6" DEEP, 5" HIGH X 7" DEEP. SPECIFY EITHER TUBE CLAMP OR TRACK MOUNT WITH 90 DEGREE BRACKET.
		<b>UPHOLSTERY COLOR</b>	
		IF FABRIC UPHOLSTERY IS ORDERED BLACK NAUGAHYDE CALF PADS AND/OR ARMREST PADS WILL BE SUPPLIED UNLESS CALF FLAT, CALF TROUGH, CALF CUSTOM, TROUGH ARP, FLAT ARP, NARROW FLAT ARP, OR CARP ARE ORDERED.	
		<b>CONTROL BOXES &amp; REMOTE DISPLAY</b>	
		<b>HAND &amp; CHIN CONTROL MOUNTS &amp; EXTENSIONS</b>	
		B6115	SA EXT. SWINGAWAY HAND CONTROL EXTENSION SLIDE (E1028). VERY STURDY. SWINGS OUT TO SIDE AND BACK.



# BOUNDER 300 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
B6116	MIDLINE HC M&E. MIDLINE HAND CONTROL MOUNT & EXTENSION SLIDE. SWINGS UP TO SIDE. SPECIFY LEFT OR RIGHT MOUNT AND DISTANCE FROM FRONT OF BACK TO CENTER OF HAND CONTROL.
B6121	CC MOUNT. CHIN CONTROL MOUNT. MOUNTS ON BACKPOST TUBING ON EITHER SIDE. SPECIFY LEFT OR RIGHT. FULLY ADJUSTABLE WITH SWING TO SIDE FEATURE. SPECIFY DROP. 2" IS STANDARD, 3" OR 4" OPTIONAL.
B6122	POWER CC MOUNT. POWER CHIN CONTROL MOUNT. INSTALL POWER CHIN CONTROL MOUNT INSTEAD OF STANDARD HAND CONTROL MOUNT. SPECIFY LEFT OR RIGHT MOUNT. ACTUATOR SWINGS CHIN CONTROL AND BOOM TO SIDE ABOUT 90 DEGREES WHEN CONTROL SWITCH IS OPERATED. BI-DIRECTIONAL MOMENTARY TOGGLE SWITCH CONTROL IS STANDARD. SWITCH CAN BE MOUNTED ANYWHERE CONVENIENT TO USER OR ATTENDANT. OTHER CUSTOM CONTROL SWITCHES AND METHODS OF CONTROL ARE POSSIBLE. LEFT AND RIGHT HAND MODELS AVAILABLE. SPECIFY DROP. 2" IS STANDARD, 3" OR 4" OPTIONAL. CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.
B6131	CC BIB MOUNT. CHIN CONTROL BIB MOUNT (SPECIFY HARD OR SOFT COLLAR). DOES NOT INCLUDE CHIN CUP.
B6172	CUS EXT SLIDE. CUSTOM EXTENSION SLIDE. STRAIGHT, CUSTOM HEIGHT, ETC. TELL US WHAT YOU NEED.

## LINX PROGRAMMABLE ELECTRONICS

B6472 DLX REM500. LINX COLOR TOUCH SCREEN DISPLAY REMOTE. FOR USE WITH MOST SPECIALTY SWITCH CONTROLS AND SECONDARY REMOTES SUCH AS A CHIN CONTROL. ORDER SPECIALTY CONTROL SEPARATE.

B6473 DLX IN500. LINX INPUT MODULE (DRIVE CONTROL & SWITCH INPUT). FOR USE WITH DLX-REM500.

## R-NET PROGRAMMABLE ELECTRONICS

B6520 R-NET OMNI2. R-NET OMNI2 SPECIALTY CONTROLS INTERFACE. FOR USE WITH MOST SPECIALTY SWITCH CONTROLS. ORDER SPECIALTY CONTROLS SEPARATE.

## SWITCHES

### DRIVE MODULE MOUNTS

B6702 USM HF. DRIVE MODULE MOUNTED UNDER WHEELCHAIR SEAT. DRIVE MODULE MOUNTED HORIZONTALLY UNDER SEAT PAN. SOMETIMES, ALTERNATE LOCATIONS ARE NECESSARY, DEPENDING UPON THE EXACT CHAIR CONFIGURATION.

## RESPIRATOR & OXYGEN BOTTLE MOUNTS

B6801 RESP SHELF. FIXED POSITION RESPIRATOR SHELF. VERY STURDY SHEET METAL SHELF IS WELDED IN PLACE ON BACKPOST TUBING, USUALLY JUST BELOW PUSH HANDLES. APPROXIMATELY 20" WIDE X 10" DEEP. CUSTOM SIZES AVAILABLE. PUSH HANDLES SOMETIMES FLARED FOR CLEARANCE ON NARROW CHAIRS. CONTACT FACTORY FOR MORE INFORMATION.

B6803 RESP GIMBAL SHELF. GIMBAL-MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAT REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND.

B6811 RESP BBOX U1. SINGLE U1 BATTERY BOX MOUNTED ON SHELF (SPECIFY LOCATION; FOR RESPIRATORS). SHELF USUALLY LOCATED UNDER SEAT NEAR FRONT OF CHAIR. REMOVABLE U1 BATTERY BOX IS HELD ON TRAY WITH A STRAP. ALTERNATE LOCATIONS SUCH AS ON THE SHELF NEXT TO OR BELOW THE RESPIRATOR ARE ALSO AVAILABLE. CONTACT FACTORY FOR MORE INFORMATION.

## MOTORS & BRAKES

### DRIVE WHEEL OPTIONS

#### 13"x4.00" DRIVE WHEELS

B7055B DW 13X4BFF KNOBBY. 13"x4.00" BLACK KNOBBY FOAM FILLED DRIVE TIRES ON METAL WHEELS. FOR BIG BOUNDER H-FRAMES WITH POWER 1000 OPTION ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15"x4" AND 12.75"x4".

### HVLP OFF-ROAD PACKAGE

#### TOP SPEED SETTINGS

TOP SPEEDS CAN VARY BY AS MUCH AS 10% BASED ON CHAIR CONFIGURATION, TIRE CHOICE AND USER WEIGHT.

#### 13"x4.00" 13"x 5.00" DRIVE WHEELS

B7263 8.5 MPH. 8.5 MPH, 313 C70 C21, HIGH SPEED PACKAGE. NOT AVAILABLE WITH THE HVLP OR OFF-ROAD PACKAGE. REQUIRES LINX ELECTRONICS.

B7266 6.0 MPH. 6.0 MPH, 4M13 C60 C23. 6.5 MPH WITH OFF-ROAD PACKAGE WITH 14" X 5.40" TIRES.

B7267 4.8 MPH. 4.8 MPH, 4M13 C70 C21. 5.2 MPH WITH OFF-ROAD PACKAGE WITH 14" X 5.40" TIRES.

#### 14"x5.4" DRIVE TIRES

### CASTER WHEEL & FORK OPTIONS

#### CASTER TIRE & TUBE OPTIONS

#### VEHICLE TIEDOWNS

B7604 4P TD. 4-POINT WHEELCHAIR TRANSPORT TIEDOWN. HAS NOT YET RECEIVED WC-19 CRASH-TESTING APPROVAL.

## BATTERY BOXES

### BATTERIES

### BATTERY CHARGERS

### ACCESSORIES

B8006 HF LP. LED SAFETY ILLUMINATION PACKAGE FOR ALL H-FRAMES. INCLUDES LED HEADLAMP AND SWITCH. LED TAILLIGHTS ARE BUILT INTO THE H-FRAME BASE.

Stk#	Note
B8007	HL2. 2ND LED HEADLAMP. CURRENT DRAW FOR COMPLETE TWO HEADLAMP SYSTEM: 1.0A @ 24V.
B8010	AMBER FLASHER. LED AMBER SAFETY FLASHERS (1 FLASHER MOUNTED IN REAR/1 MOUNTED IN FRONT). SAFETY AMBER FLASHER ALLOWS INCREASED VISIBILITY WHILE DRIVING AT NIGHT.
B8021	HORN. 24V SAFETY AUDIO ALERT. THIS 24V HORN IS LOUD! THE CONTROL SWITCH (HORN BUTTON) CAN BE MOUNTED ON THE WHEELCHAIR TUBING AT ANY CONVENIENT LOCATION. COMPATIBLE WITH MOST 24V POWER WHEELCHAIRS. TOGGLE SWITCH TYPE HORN BUTTON WILL BE SUPPLIED UNLESS YOU SPECIFICALLY REQUEST A PUSH-BUTTON SWITCH.
B8032	LB2. ELECTRIC LEG BAG EMPTIER 2. ELECTRIC LEG BAG EMPTIER 2 ALLOWS THE USER TO DRAIN HIS/HER LEG BAG WITHOUT ASSISTANCE. THIS PACKAGE INCLUDES A 24V ELECTRIC PINCH VALVE WITH MANUAL RELEASE TAB THAT IS USUALLY STRAPPED AROUND THE USER'S ANKLE, THOUGH IT CAN BE MOUNTED ON A FOOTPLATE. A DRAIN TUBE EXTENSION THAT IS ATTACHED TO THE LEG BAG DRAIN TUBE IS PINCHED BY THE VALVE. THE LB2 VALVE DOES NOT REQUIRE INTERNAL CLEANING. THE SYSTEM INCLUDES A MOMENTARY TOGGLE SWITCH THAT CAN BE MOUNTED ANYWHERE ON THE WHEELCHAIR TUBING, AND A FUSED BATTERY CABLE. THE SWITCH AND VALVE INCLUDE QUICK DISCONNECT ANDERSON CONNECTORS SO THAT THE WHEELCHAIR FRONT RIGGING AND ARMS CAN BE REMOVED FOR TRANSFER AFTER THE SYSTEM IS INSTALLED. THE LEG BAG DRAIN TUBE EASILY THREADS THROUGH THE PINCH VALVE. LEG BAG AND FRONT RIGGING ARE NOT INCLUDED. KITS FOR CONTROLLING ELECTRIC LEG BAG EMPTIERS BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. PRICE INCLUDES 6 MONTH WARRANTY. CONTACT THE FACTORY FOR MORE INFORMATION.
B8046	24 TO 12/5PC. 24V TO 12V/5V POWER CONVERTER (5A MAXIMUM LOAD). CONVERTS 24 VOLTS DC TO 12 VOLTS DC AND 5 VOLTS DC, PROVIDING UP TO 5 AMPS OF POWER. THIS ALLOWS SOME 12 AND 5 VOLT ACCESSORIES TO BE INSTALLED ON THE WHEELCHAIR OR CART. INCLUDES ONE ROUND 12V CONNECTOR AND TWO 5V USB CHARGING PORTS.
B8063	GUN MOUNT. HEIGHT & ANGLE ADJUSTABLE GUN MOUNT WITH RIFLE REST. INCLUDES CENTER MOUNT SQUARE RECEIVER WELDED UNDER SEAT SO GUN MOUNT CAN EASILY BE ATTACHED AND REMOVED WHEN NOT BEING USED. HEIGHT ADJUSTABLE, ANGLE ADJUSTABLE AND UNIVERSAL FOR LEFT AND RIGHT HANDED SHOOTERS.
B8083	TOOL KIT. TOOL KIT. INCLUDES COMMON TOOLS USED TO MAKE ADJUSTMENTS AND MINOR REPAIRS ON CHAIR.
B8091	MIRROR. REAR VIEW MIRROR. THIS DETACHABLE REAR VIEW MIRROR HAS A WIDE ANGLE CONVEX HEAD THAT ALLOWS USERS TO SEE TO THE REAR WITHOUT TURNING THEIR HEAD. IT INCREASES SAFETY IN TRAFFIC AND IS ALSO HANDY WHEN BACKING INTO OR OUT OF ELEVATORS. THE MIRROR COMES WITH A QUICK DETACH BRACKET.
B8127	WC JACK. WHEELCHAIR JACK. USED TO LIFT REAR OF THE WHEELCHAIR IN THE AIR TO CHANGE TIRES OR WHEELS.
B8132	SW MOUNT BAR. SWITCH MOUNT BAR FOR ACCESSORY SWITCHES. FOR USE ON CHAIRS WITH SELF-SUPPORTING ARMS AND HAS EITHER POWER SEATING SYSTEM SWITCH CONTROLS OR ACCESSORY CONTROLS. SPECIFY LEFT OR RIGHT SIDE MOUNT.

## SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

CAUTION! DO NOT USE AS SEAT BELTS OR RESTRAINTS IN LICENSED VEHICLES. POSITIONING STRAPS ARE TO BE USED ONLY FOR HOLDING USER IN POSITION WHILE DRIVING THE WHEELCHAIR.

B8211 PS CUS S. CUSTOM SEAT MOUNT POSITIONING STRAP (SPECIFY BUCKLE TYPE AND LENGTH). REQUIRED FOR ANY POSITIONING STRAP THAT IS NOT 45" OR 60" LONG. SPECIFY BUCKLE TYPE AND LENGTH.

## CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

### WARRANTIES AND SPECIAL SERVICE OPTIONS

#### STANDARD WARRANTIES

B9021B B PWC WAR. BOUNDER POWER WHEELCHAIR STANDARD WARRANTY. ONE YEAR WARRANTY ON ENTIRE BOUNDER POWER WHEELCHAIR. FIVE YEAR H-FRAME BASE WARRANTY. TWO YEAR H-FRAME SEAT WARRANTY. FIVE YEAR SUPER TORQUE MOTOR AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL SPROCKETS, BUT EXCLUDES CHAINS, TIRES, MOTOR SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.

B9022 BP PWC WAR. BOUNDER PLUS 300 POWER WHEELCHAIR STANDARD WARRANTY. TWO YEAR WARRANTY ON ENTIRE BOUNDER PLUS POWER WHEELCHAIR. TEN YEAR H-FRAME BASE WARRANTY. FIVE YEAR H-FRAME SEAT WARRANTY. FIVE YEAR SUPER TORQUE MOTOR AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL SPROCKETS, BUT EXCLUDES CHAINS, TIRES, MOTOR SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.

#### EXTENDED WARRANTIES

B9101 EL2 EWAR. EXTEND ELECTRONICS WARRANTY TO 2 YEARS. FOR BOUNDER AND BIG BOUNDER CHAIRS ONLY. ALREADY INCLUDED ON BOUNDER PLUS CHAIRS.

#### SPECIAL SERVICE OPTIONS

B9301 EBO. EMERGENCY BUILD ORDER. BUILD AND SHIP CHAIR AS FAST AS POSSIBLE. CONTACT FACTORY FOR DELIVERY AND UP CHARGE.

# BOUNDER 300 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note

---

89302 EEC. ENGINEERING AND EVALUATION CHARGE. CHARGE FOR ENGINEERING AND EVALUATING VERY INVOLVED CUSTOM CHAIRS. CONTACT FACTORY FOR PRICING.